

**EAST Search History**

| <b>Ref #</b> | <b>Hits</b> | <b>Search Query</b>   | <b>DBs</b>   | <b>Default Operator</b> | <b>Plurals</b> | <b>Time Stamp</b>   |
|--------------|-------------|---|--|-------------------------|----------------|---------------------|
| L1           | 354         | (717/125).CCLS.   | US-PGPUB;<br>USPAT; USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                      | OFF            | 2008/07/24<br>11:51 |
| L2           | 8           | debug\$4 and<br>(display near5<br>window) same<br>(evaluat\$3 near3<br>( expression or<br>string or token or<br>message or<br>keyword or format<br>\$4 ) )  | US-PGPUB;<br>USPAT; USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                      | ON             | 2008/07/24<br>11:52 |
| L3           | 158         | debug\$4 and<br>((watch or display)<br>near5 (pane or<br>view or window) )<br>and (evaluat\$3<br>near3 ( expression<br>or string or token<br>or message or<br>keyword or format<br>\$4 ) ) and (array or<br>vector or tuple or<br>"list of") and<br>( evaluat\$4 near3<br>expression) and<br>language and<br>(object or field or<br>property or type or<br>member or<br>attribute )and (hide<br>or hidden or ("do<br>not" adj (show or<br>display) )) | US-PGPUB;<br>USPAT; USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                      | ON             | 2008/07/24<br>11:52 |

|    |     |  |  |    |    |                  |
|----|-----|--|--|----|----|------------------|
| L4 | 41  | (717/12?.ccls. or 717/13?.ccls. ) and debug\$4 and ((watch or display) near5 (pane or view or window) ) and (evaluat\$3 near3 ( expression or string or token or message or keyword or format \$4 ) ) and (array or vector or tuple or "list of")  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/24 11:52 |
| L5 | 312 | ((developer or user or programmer) with customiz\$5) SAME DEBUG\$4   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/24 11:52 |
| L6 | 158 | debug\$4 and ((watch or display) near5 (pane or view or window) ) and (evaluat\$3 near3 ( expression or string or token or message or keyword or format \$4 ) ) and (array or vector or tuple or "list of") and ( evaluat\$4 near3 expression) and language and (object or field or property or type or member or attribute )and (hide or hidden or ("do not" adj (show or display) )) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/24 11:52 |

|     |    |  |  |    |    |                     |
|-----|----|--|--|----|----|---------------------|
| L7  | 8  | debug\$4 and<br>(display near5<br>window) same<br>(evaluat\$3 near3<br>( expression or<br>string or token or<br>message or<br>keyword or format<br>\$4 ) )   | US-PGPUB;<br>USPAT; USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/24<br>11:53 |
| L8  | 8  | debug\$4 and<br>(display near5<br>window) same<br>(evaluat\$3 near3<br>( expression or<br>string or token or<br>message or<br>keyword or format<br>\$4 ) )   | US-PGPUB;<br>USPAT; USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/24<br>11:53 |
| L9  | 41 | (717/12?.ccls. or<br>717/13?.ccls. ) and<br>debug\$4 and<br>((watch or display)<br>near5 (pane or<br>view or window) )<br>and (evaluat\$3<br>near3 ( expression<br>or string or token<br>or message or<br>keyword or format<br>\$4 ) ) and (array or<br>vector or tuple or<br>"list of") | US-PGPUB;<br>USPAT; USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/24<br>11:53 |
| L10 | 41 | (717/12?.ccls. or<br>717/13?.ccls. ) and<br>debug\$4 and<br>((watch or display)<br>near5 (pane or<br>view or window) )<br>and (evaluat\$3<br>near3 ( expression<br>or string or token<br>or message or<br>keyword or format<br>\$4 ) ) and (array or<br>vector or tuple or<br>"list of") | US-PGPUB;<br>USPAT; USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/07/24<br>11:53 |

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| L11 | 41  | (717/12?.ccls. or 717/13?.ccls. ) and debug\$4 and ((watch or display) near5 (pane or view or window) ) and (evaluat\$3 near3 ( expression or string or token or message or keyword or format \$4 ) ) and (array or vector or tuple or "list of") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2008/07/24 11:53 |
| L12 | 8   | debug\$4 and (display near5 window) same (evaluat\$3 near3 ( expression or string or token or message or keyword or format \$4 ) )  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2008/07/24 11:53 |
| L13 | 354 | (717/125).CCLS.   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/24 11:54 |

**7/24/2008 11:54:44 AM**

**C:\Documents and Settings\csmith9\My Documents\EAST\Workspaces\CY2007\10808905.wsp**